

Product Catalogue
VGW Parapet Carriage





Edition 04 | 2018

VGW Parapet Carriage

Item no.	Weight kg	Girders GT 24	L
075100	5.300	**Girder GT 24, l = 0.90 m**	918
075120	7.100	**Girder GT 24, l = 1.20 m**	1214
075150	8.900	**Girder GT 24, l = 1.50 m**	1510
075180	10.600	**Girder GT 24, l = 1.80 m**	1806
075210	12.400	**Girder GT 24, l = 2.10 m**	2102
075240	14.200	**Girder GT 24, l = 2.40 m**	2398
075270	15.900	**Girder GT 24, l = 2.70 m**	2694
075300	17.700	**Girder GT 24, l = 3.00 m**	2990
075330	19.500	**Girder GT 24, l = 3.30 m**	3286
075360	21.200	**Girder GT 24, l = 3.60 m**	3582
075390	23.000	**Girder GT 24, l = 3.90 m**	3878
075420	24.800	**Girder GT 24, l = 4.20 m**	4174
075450	26.600	**Girder GT 24, l = 4.50 m**	4470
075480	28.300	**Girder GT 24, l = 4.80 m**	4766
075510	30.100	**Girder GT 24, l = 5.10 m**	5062
075540	31.900	**Girder GT 24, l = 5.40 m**	5358
075570	33.600	**Girder GT 24, l = 5.70 m**	5654
075600	35.400	**Girder GT 24, l = 6.00 m**	5950









VGW Parapet Carriage

Item no.	Weight kg		L
		Girder VT 20K, with Steel Cap	
074990	8.600	**Girder VT 20K, l = 1.45 m**	1447
074905	12.700	**Girder VT 20K, l = 2.15 m**	2152
074910	14.500	**Girder VT 20K, l = 2.45 m**	2452
074890	15.600	**Girder VT 20K, l = 2.65 m**	2652
074920	17.100	**Girder VT 20K, l = 2.90 m**	2902
074930	19.500	**Girder VT 20K, l = 3.30 m**	3292
074940	21.200	**Girder VT 20K, l = 3.60 m**	3592
074950	23.000	**Girder VT 20K, l = 3.90 m**	3892
074960	26.700	**Girder VT 20K, l = 4.50 m**	4492
074970	29.900	**Girder VT 20K, l = 4.90 m**	4902
074980	34.800	**Girder VT 20K, l = 5.90 m**	5902
074900	0.000	**Cutting Cost VT Girder**	

Universal formwork girder made of wood.


Note
The girder fulfils all requirements of DIN EN 13377 class P20 (Declaration of Conformity).






024070	0.691	**Hook Strap HB 24-100/120, galv.**	


For fixing GT 24 Girders to Steel Walers SRZ, SRU and BR: U100 – U120.






VGW Parapet Carriage


Item no.	Weight kg	
024080	0.735	**Hook Strap HB 24-140/160, galv.** For fixing GT 24 Girders to Steel Walers SRZ, SRU and BR: U140 – U160.






104931	0.865	**Hook Strap Uni HBU 20-24** For fixing GT 24 Girders or VT 20 Girders to Steel Walers SRZ and SRU Profiles U100 – U140.

Note
The girders can be mounted at right-angles or diagonally to the steel walers and also outside of the nodes.







Accessories

024540	0.005	**TSS-Torx 6 x 40, galv.**

103845	0.893	**Hook Strap Uni HBU 24-28** For fixing GT 24 Girders to Steel Walers SRZ, SRU and BR: U100 – U140.

Note
The girders can be mounted at right-angles or diagonally to the steel walers and also outside of the nodes.






Accessories


024540	0.005	**TSS-Torx 6 x 40, galv.**


Item no.	Weight kg
104930	0.887

Hook Strap Uni Double HBUD 20-24
For fixing two GT 24 Girders or VT 20 Girders to SRZ Steel Walers and SRU Profiles U100 – U140.

Note
The girders can be mounted at right-angles or diagonally to the steel walers and also outside of the nodes.










Item no.	Weight kg
104096	0.912

Hook Strap Uni Double HBUD 24-28
For fixing two GT 24 girders or VT 20K girders to SRZ steel walers and SRU Profiles U100 - U140.

Note
The girders can be mounted at right-angles or diagonally to the steel walers and also outside of the nodes.









Item no.	Weight kg
024860	0.616


Hook Strap HB 24 QB 150, galv.
For fixing GT 24 Girders independent from girder node and timber beams to Steel Walers SRZ, SRU and BR: U100 – U120.







Item no.	Weight kg
024600	0.907


Girder Claw HB
For mounting the GT 24 Edge Girder on the Steel Waler SRZ and SRU Profile U100 – U120.







Item no.	Weight kg		
024640	0.923	**Quick Str. Hook Strap 24-100/140, galv.** For fixing GT 24 Girders to Steel Waler SRZ, SRU, Profile U100 – U140 outside of the girder nodes.	**Note** Girders fixed in position with the quick strap must be specially screwed to the formlining when using crane lifting gears.






024630	0.742	**Fix Strap U100 – U120, galv.** For fixing the GT 24 Girder in the VARIO Corner.	







		Climbing Rails RCS	**L**
114166	78.200	**Climbing Rail RCS 148**	1480
109469	130.000	**Climbing Rail RCS 248**	2480
112102	156.000	**Climbing Rail RCS 298**	2980
109470	182.000	**Climbing Rail RCS 348**	3480
112141	209.000	**Climbing Rail RCS 398**	3980
109471	262.000	**Climbing Rail RCS 498**	4980
109472	393.000	**Climbing Rail RCS 748**	7480
109610	524.000	**Climbing Rail RCS 998**	9980
		Steel profile for all-purpose use of climbing application or civil constructions. With Spacers M20-82 and M24-82.	





110022	0.491	**Spacer M20-82** Spacer for Climbing Rails RCS.	**Complete with** 1 pc. 104477 Bolt ISO 4014 M20 x 120-8.8, galv. 1 pc. 130341 Nut ISO 7042 M20-8, galv.







VGW Parapet Carriage

Item no.	Weight kg
110023	0.910

Spacer M24-82
Spacer for Climbing Rails RCS.

Complete with
1 pc. 109612 Bolt ISO 4014 M24 x 130-8.8, galv.
1 pc. 130342 Nut ISO 7042 M24-8, galv.







		Steel Walers Universal SRU	L
103868	18.100	**Steel Waler Universal SRU U120, l = 0.72 m**	722
103871	24.200	**Steel Waler Universal SRU U120, l = 0.97 m**	972
123809	29.500	**Steel Waler Universal SRU U120, l = 1.17 m**	1172
103874	30.900	**Steel Waler Universal SRU U120, l = 1.22 m**	1222
103877	38.100	**Steel Waler Universal SRU U120, l = 1.47 m**	1472
103886	44.700	**Steel Waler Universal SRU U120, l = 1.72 m**	1722
125088	46.100	**Steel Waler Universal SRU U120, l = 1.77 m**	1772
103889	52.000	**Steel Waler Universal SRU U120, l = 1.97 m**	1972
103898	58.600	**Steel Waler Universal SRU U120, l = 2.22 m**	2222
123812	63.000	**Steel Waler Universal SRU U120, l = 2.37 m**	2372
103892	65.600	**Steel Waler Universal SRU U120, l = 2.47 m**	2472
103929	72.000	**Steel Waler Universal SRU U120, l = 2.72 m**	2722
103903	81.000	**Steel Waler Universal SRU U120, l = 2.97 m**	2972
103906	92.600	**Steel Waler Universal SRU U120, l = 3.47 m**	3472
103915	106.000	**Steel Waler Universal SRU U120, l = 3.97 m**	3972
103918	119.000	**Steel Waler Universal SRU U120, l = 4.47 m**	4472
103922	135.000	**Steel Waler Universal SRU U120, l = 4.97 m**	4972
103925	146.000	**Steel Waler Universal SRU U120, l = 5.47 m**	5472
103928	159.000	**Steel Waler Universal SRU U120, l = 5.97 m**	5972

Universal Steel Waler Profile U120 used as waling for girder wall formwork and for diverse special applications. With adjustable spacers.

Note
Permissible load: see PERI Design Tables.

Technical Data
U120: Wy = 121.4 cm³, Iy = 728 cm⁴.







VGW Parapet Carriage

Item no.	Weight kg	
104027	7.610	**Extension VARIO 24 U120** For assembly on Steel Waler SRU.

Complete with
4 pc. 710252 Bolt ISO 4017 M16 x 50-8.8, galv.
4 pc. 104024 Nut ISO 7040 M16-8, galv.
4 pc. 710880 Washer DIN 434 18, galv.

Technical Data
U120: Wy = 121.4 cm³, Iy = 728 cm⁴.







		Heavy Duty Spindles SLS	**A**	**min. L**	**max. L**
111035	12.000	**Heavy Duty Spindle SLS 40/80**	344	400	800
101773	15.300	**Heavy Duty Spindle SLS 80/140**	746	800	1400
101774	18.300	**Heavy Duty Spindle SLS 100/180**	946	1000	1800
101776	24.900	**Heavy Duty Spindle SLS 140/240**	1346	1400	2400
101778	32.300	**Heavy Duty Spindle SLS 200/300**	1944	2000	3000
101779	38.500	**Heavy Duty Spindle SLS 260/360**	2544	2600	3600
109726	44.800	**Heavy Duty Spindle SLS 320/420**	3144	3200	4200
109785	51.000	**Heavy Duty Spindle SLS 380/480**	3744	3800	4800

Used as adjustable spindle for truss beams made of Steel Walers SRU and Climbing Rails RCS.

Note
Permissible load see PERI Design Tables.







Accessories

104031	0.462	**Fitting Pin Ø 21 x 120**
018060	0.014	**Cotter Pin 4/1, galv.**
110477	3.990	**Spindle Adapter SLS/RCS**

110477	3.990	**Spindle Adapter SLS/RCS** For connecting the Heavy-Duty Spindle SLS to the Climbing Rail RCS.

Complete with
1 pc. 104031 Fitting Pin Ø 21 x 120
1 pc. 018060 Cotter Pin 4/1, galv.







Accessories

104031	0.462	**Fitting Pin Ø 21 x 120**
018060	0.014	**Cotter Pin 4/1, galv.**
111567	0.729	**Fitting Pin Ø 26 x 120**
022230	0.033	**Cotter Pin 5/1, galv.**

VGW Parapet Carriage

Item no.	Weight kg	
104031	0.462	**Fitting Pin Ø 21 x 120** For different connections.





Accessories

018060	0.014	**Cotter Pin 4/1, galv.**


018060	0.014	**Cotter Pin 4/1, galv.**






110012	23.400	**Diagonal Strut RCS 212** For bracing RCS Framework Brackets.


Complete with
2 pc. 109612 Bolt ISO 4014 M24 x 130-8.8, galv.
1 pc. 105032 Nut ISO 7042 M24-8, galv.






103737	10.800	**Universal Coupling UK 70** For a rigid connection of Steel Walers SRU and for connecting Heavy-Duty Spindles SLS.

Note
Permissible load: see PERI Design Tables.







Accessories

104031	0.462	**Fitting Pin Ø 21 x 120**
018060	0.014	**Cotter Pin 4/1, galv.**

Item no.	Weight kg	
111279	2.450	**Cross Connector VARIOKIT** For right-angled connection of Steel Walers SRU or Climbing Rails RCS.







Accessories

104031	0.462	**Fitting Pin Ø 21 x 120**
018060	0.014	**Cotter Pin 4/1, galv.**

111283	9.950	**Angle Connector RCS/SRU** For right-angled connection of Steel Walers SRU to the Climbing Rails RCS and for attaching guardrail posts to Steel Walers SRU.







Accessories

104031	0.462	**Fitting Pin Ø 21 x 120**
018060	0.014	**Cotter Pin 4/1, galv.**
111567	0.729	**Fitting Pin Ø 26 x 120**
022230	0.033	**Cotter Pin 5/1, galv.**


123497	15.700	**Spindle Bracket VARIOKIT** For mounting Heavy-Duty-Spindles SLS to the Climbing Rail RCS with little spindle inclination.	**Complete with** 3 pc. 104031 Fitting Pin Ø 21 x 120 3 pc. 018060 Cotter Pin 4/1, galv.







VGW Parapet Carriage


Item no.	Weight kg		
123513	37.800	**Slide Connector VARIOKIT** For right-angled and slidable T-connection of Climbing Rails RCS.	**Complete with** 1 pc. 104031 Fitting Pin Ø 21 x 120 1 pc. 018060 Cotter Pin 4/1, galv.





113933	17.100	**Adjusting Unit VARIOKIT** For an articulated connection of Steel Walers SRZ and SRU. With integrated adjustment feature.	**Complete with** 3 pc. 104031 Fitting Pin Ø 21 x 120 3 pc. 018060 Cotter Pin 4/1, galv.







Accessories

104031	0.462	**Fitting Pin Ø 21 x 120**
018060	0.014	**Cotter Pin 4/1, galv.**

117425	7.090	**Cross Connector VST** For connecting Horizontal Ledgers VST and Diagonal Struts VST cross to the direction of the frame.	**Complete with** 2 pc. 113994 Bolt ISO 4014 M20 x 140-8.8, galv. 2 pc. 781053 Nut ISO 7040 M20-8, galv. 1 pc. 117492 Sleeve VST, galv.







VGW Parapet Carriage

Item no.	Weight kg
117411	18.600

Bracing Connector VST
For connecting Horizontal Ledgers VST and Diagonal Struts VST in direction of the frame.


Complete with
2 pc. 104031 Fitting Pin Ø 21 x 120
2 pc. 111567 Fitting Pin Ø 26 x 120
2 pc. 018060 Cotter Pin 4/1, galv.
2 pc. 022230 Cotter Pin 5/1, galv.






115623	5.060	**Connector SRU VARIOKIT**

For a rigid connection of Steel Walers SRU.






Accessories


104031	0.462	**Fitting Pin Ø 21 x 120**
018060	0.014	**Cotter Pin 4/1, galv.**

111274	13.600	**Heavy Duty Roller Bracket VARIOKIT**

For connecting the heavy-duty roller 150 kN, item no. 022040 and 200 kN, item no. 022041 to Steel Waler SRU.

Complete with
4 pc. 721817 Bolt ISO 4014 M10 x 50-8.8, galv.
4 pc. 710381 Nut ISO 7042 M12-8, galv.
4 pc. 780702 Washer ISO 7089 200 HV, A 12, galv.
2 pc. 710226 Bolt ISO 4014 M20 x 90-8.8, galv.
2 pc. 781053 Nut ISO 7040 M20-8, galv.







VGW Parapet Carriage

Item no.	Weight kg
022040	8.400

Heavy Duty Roller 150 kN, Type B-II
Moving device for special and heavy-duty constructions.




Technical Data
Permissible load-bearing capacity 150 kN.




022041	11.700

Heavy Duty Roller 200 kN, Type A-II
Moving device for special and heavy-duty constructions.




Technical Data
Permissible load-bearing capacity 200 kN.




123534	5.910

Brace Connector RCS DW 15/M20
For mounting diagonal bracing with Tie Rod DW 15 and a compression strut to the Climbing Rail RCS.





Complete with
2 pc. 710894 Pin Ø 25 x 180, geomet.
4 pc. 018060 Cotter Pin 4/1, galv.



117766	4.450


Bracing Connector SRU/DW 15






VGW Parapet Carriage


Item no.	Weight kg		
		Tie Rods DW 15	**Note**
030030	1.440	**Tie Rod DW 15, spec. length**	Non-weldable! Take official Approval into consideration!
030050	0.000	**Cutting Cost Tie Rod DW 15, B 15**	**Technical Data**
030005	0.720	**Tie Rod DW 15, l = 0.50 m**	Permissible tension force 90 kN.
030010	1.230	**Tie Rod DW 15, l = 0.85 m**	
030480	1.440	**Tie Rod DW 15, l = 1.00 m**	
030490	1.730	**Tie Rod DW 15, l = 1.20 m**	
030170	2.160	**Tie Rod DW 15, l = 1.50 m**	
030020	2.450	**Tie Rod DW 15, l = 1.70 m**	
030180	2.880	**Tie Rod DW 15, l = 2.00 m**	
030710	3.600	**Tie Rod DW 15, l = 2.50 m**	
030720	4.320	**Tie Rod DW 15, l = 3.00 m**	
030730	5.040	**Tie Rod DW 15, l = 3.50 m**	
030160	8.640	**Tie Rod DW 15, l = 6.00 m**	







030130	0.318	**Cam Nut DW 15, galv.** For anchoring with Tie Rod DW 15 and B 15.	**Technical Data** Permissible load 90 kN.





030110	0.799	**Wingnut Counterplate DW 15, galv.** For anchoring with Tie Rod DW 15 and B 15.	**Technical Data** Permissible load 90 kN.







VGW Parapet Carriage


Item no.	Weight kg		
030100	0.439	**Wingnut DW 15, galv.** For anchoring with Tie Rod DW 15 and B 15.	**Technical Data** Permissible load 90 kN.






030370	1.660	**Wingnut Pivot Plate DW 15, galv.** For anchoring with Tie Rod DW 15 and B 15. With pivoting captive nut. Maximum angle of tilting 8°.	**Note** Wrench size SW 27. **Technical Data** Permissible load 90 kN.






030070	0.222	**Hex. Nut DW 15 SW 30/50, galv.** For anchoring with Tie Rod DW 15 and B 15.	**Technical Data** Permissible load 90 kN.






030550	0.233	**Hex. Nut DW 15 SW 30/50, weldable** For anchoring with Tie Rod DW 15 and B 15.	**Note** Weldable! **Technical Data** Permissible load 90 kN.







VGW Parapet Carriage


Item no.	Weight kg		
030090	0.402	**Hex. Nut DW 15 SW 30/108, galv.** For coupling Tie Rod DW 15 and B 15.	**Technical Data** Permissible load 90 kN.







		Scaffold Tubes Steel Ø 48.3 x 3.2	**L**
026415	3.550	**Scaff. Tube Steel Ø 48.3 x 3.2, special length**	
026417	0.000	**Cutting Cost Scaffold Tube**	
026411	3.550	**Scaff. Tube Steel Ø 48.3 x 3.2, l = 1.0 m**	1000
026412	7.100	**Scaff. Tube Steel Ø 48.3 x 3.2, l = 2.0 m**	2000
125976	8.900	**Scaff. Tube Steel Ø 48.3 x 3.2, l = 2.5 m**	2500
026413	10.650	**Scaff. Tube Steel Ø 48.3 x 3.2, l = 3.0 m**	3000
114287	12.500	**Scaff. Tube Steel Ø 48.3 x 3.2, l = 3.5 m**	3500
026414	14.200	**Scaff. Tube Steel Ø 48.3 x 3.2, l = 4.0 m**	4000
026419	17.750	**Scaff. Tube Steel Ø 48.3 x 3.2, l = 5.0 m**	5000
026418	21.600	**Scaff. Tube Steel Ø 48.3 x 3.2, l = 6.0 m**	6000







017010	1.400	**Swivel Coupling DK 48/48, galv.** For Scaffold Tubes Ø 48 mm.






017020	1.120	**Standard Coupler NK 48/48, galv.** For Scaffold Tubes Ø 48 mm.






VGW Parapet Carriage

Item no.	Weight kg		
110296	0.220	**Clamp A64 DIN 3570 M12, galv.** For assembling Scaffold Tubes Ø 48 or Ø 60.	**Note** Wrench size SW 19.







Accessories


710330	0.017	**Nut ISO 4032 M12-8, galv.**


110084	2.310	**Scaffold Tube Adapter Ø 48 RCS** For connecting Scaffold Tubes Ø 48 mm to Climbing Rails RCS.	**Complete with** 1 pc. 017040 Screw-On Coupler AK 48, galv. 1 pc. 710894 Pin Ø 25 x 180, geomet. 2 pc. 018060 Cotter Pin 4/1, galv.







103945	1.870	**Scaffold Tube Connector FTF** For connecting scaffold tubes to the Steel Walers SRU.	**Complete with** 2 pc. 105822 Bolt Ø 20 x 102, galv. 2 pc. 018060 Cotter Pin 4/1, galv.





130045	1.640	**Scaffold Tube Adapter Ø 48 Alpha**






VGW Parapet Carriage

Item no.	Weight kg
109720	26.600

Guardrail Post RCS 226
For assembly of the guardrail on the main platform with RCS Formwork Scaffolding or as horizontal strut in the bracing.

Complete with
2 pc. 104477 Bolt ISO 4014 M20 x 120-8.8, galv.
2 pc. 781053 Nut ISO 7040 M20-8, galv.






Item no.	Weight kg
109721	40.700

Guardrail Post RCS 384
For assembly of the guardrail on the intermediate and finishing platforms with RCS Formwork Scaffolding or as horizontal strut in the bracing.


Complete with
1 pc. 104477 Bolt ISO 4014 M20 x 120-8.8, galv.
1 pc. 781053 Nut ISO 7040 M20-8, galv.






VGW Parapet Carriage

Item no.	Weight kg	
126088	4.390	**Guardrail Post Holder Multi** For fixing of an end guardrail post on Girders GT 24, VT 20 or Timbers 80/160. Fixing of the guardrail posts by means of Hex. Bolts M20 or Clamp A64.






Accessories

710285	0.050	**Bolt ISO 4014 M8 x 100-8.8, galv.**
024090	0.005	**Nut ISO 4032 M8-8, galv.**
024470	0.008	**TSS-Torx 6 x 60, galv.**


114328	16.600	**Guardrail Post RCS/SRU 184** For assembly of the guardrail on the Platform Beam RCS/SRU or Angle Connector RCS/SRU. **Complete with** 2 pc. 114727 Bolt ISO 4017 M20 x 100-8.8, galv. 2 pc. 781053 Nut ISO 7040 M20-8, galv.





116363	0.089	**Spacer RCS 184** Compensator between Angle Connector RCS/SRU and Guardrail Post RCS 184.







VGW Parapet Carriage

Item no.	Weight kg	
101290	5.670	**Guardrail Holder GT 24 / VT 20** For assembling a guardrail to GT 24 and VT 20 Girders.

Complete with
1 pc. 105400 Pin Ø 20 x 140, galv.
1 pc. 018060 Cotter Pin 4/1, galv.






Accessories

116292	4.720	**Guardrail Post HSGP-2**
061260	6.150	**Guardrail Post SGP**


061260	6.150	**Guardrail Post SGP** As guardrail for different systems.






057083	3.820	**Bracing DW 15 ACS** For bracing climbing scaffolds. For bracing large VARIO GT 24 Elements.

Complete with
2 pc. 024910 Bolt ISO 4014 M20 x 100-8.8, galv.
2 pc. 710334 Nut ISO 4032 M20-8, galv.
Note
Tie Rod DW 15 must be ordered seperately.
Technical Data
Permissible tension load 35 kN.







Accessories

030030	1.440	**Tie Rod DW 15, spec. length**
030050	0.000	**Cutting Cost Tie Rod DW 15, B 15**


VGW Parapet Carriage


Item no.	Weight kg		
102018	4.880	**Base Plate-2 for RS 1000/1400, galv.** For assembly of Push-Pull Props RS 210, 260, 300, 450, 650, 1000, 1400 and Heavy Duty Spindles.	**Complete with** 2 pc. 105400 Pin Ø 20 x 140, galv. 2 pc. 018060 Cotter Pin 4/1, galv.





110290	5.030	**Timber Fixation RCS 12/20** For assembly of timbers on the Climbing Rails RCS for use as climbing protection panel.	**Complete with** 1 pc. 110281 Eye Bolt M20, right, galv. 1 pc. 781053 Nut ISO 7040 M20-8, galv.







Accessories


070030	0.015	**Plate Connector Ø 48/12 mm, single**
018330	0.140	**Bolt ISO 4016 M12 x 140-4.6 MU, galv.**
027340	0.180	**Bolt ISO 4016 M12 x 180-4.6 MU, galv.**
113348	0.043	**Washer ISO 7094 100 HV, A 12, galv.**


114997	7.160	**Bracing Shoe RCS DW 15** For anchoring the bracing with DW 15 to the building slab. Fixation with Anchor System M24 or corresponding dowels.	**Complete with** 1 pc. 104031 Fitting Pin Ø 21 x 120 1 pc. 018060 Cotter Pin 4/1, galv.





Item no.	Weight kg	
111567	0.729	**Fitting Pin Ø 26 x 120** For different connections.





Accessories

022230	0.033	**Cotter Pin 5/1, galv.**

022230	0.033	**Cotter Pin 5/1, galv.**

