
Climbing Systems
RCS-2 Climbing Device and Hydraulic


Component Catalogue

Ausgabe 30.01/2020

RCS-2 Climbing Device and Hydraulic

Item no.	Weight kg		
135500	47.000	**Hydraulic Pump RCS MAX 2 x 210** For the operation of two Climbing Devices-2 RCS 50.	**Note** Follow Assembly Instructions of the manufacturer! See PERI Product Information. Only use original PERI Hydraulic Fluid.







Accessories


135606	0.100	**Return Filter RCS MAX**
135607	0.100	**Tank Breather Filter RCS MAX**


135499	0.800	**Power Cable RCS MAX CEE-32A 2M** For connecting max. 8 Hydraulic Pumps RCS MAX 2 x 210 bar to the power supply.	**Note** Follow Assembly Instructions of the manufacturer! With CEE-Plug 400 V, 32 A. Manual phase inverter inside.





		Power Connection Cables RCS MAX	**Note**
135498	2.500	**Power Connection Cable RCS MAX 10m**	Follow Assembly Instructions of the manufacturer!
135501	5.000	**Power Connection Cable RCS MAX 20m** For the power supply between max. 8 Hydraulic Pumps RCS MAX 2 x 210 bar.	






Accessories


135502	0.200	**Connector Power Cable RCS MAX**

Item no.	Weight kg		
135502	0.200	**Connector Power Cable RCS MAX** For connecting two Power Connection Cables RCS MAX.	**Note** Follow Assembly Instructions of the manufacturer!



		Data Connection Cables RCS MAX	**Note**
135503	0.600	**Data Connection Cable RCS MAX 10m**	Follow Assembly Instructions of the manufacturer!
135504	1.000	**Data Connection Cable RCS MAX 20m** For data connection between Hydraulic Pumps RCS MAX 2 x 210 bar.	






Accessories


135505	1.000	**Connector Data Cable RCS MAX**

135505	1.000	**Connector Data Cable RCS MAX** For connecting two Data Connection Cables RCS MAX.	**Note** Follow Assembly Instructions of the manufacturer!





135506	2.500	**Remote Control RCS max. 15m** Remote control for the simultaneous operation of a climbing unit.	**Note** Follow Assembly Instructions of the manufacturer!






Item no.	Weight kg		
135507	1.600	**Display RCS MAX** For monitoring information about Hydraulic Pump RCS MAX 2 x 210 bar.	**Note** Follow Assembly Instructions of the manufacturer! Cable length: 1.5 m






135606	0.100	**Return Filter RCS MAX** Spare part for Hydraulic Pump RCS MAX 2 x 210 bar.	**Note** Follow Assembly Instructions of the manufacturer!







135607	0.100	**Tank Breather Filter RCS MAX** Spare part for Hydraulic Pump RCS MAX 2 x 210 bar.	**Note** Follow Assembly Instructions of the manufacturer!





135413	27.000	**Climbing Device-2 RCS 50** For crane-independent climbing of RCS Climbing Units.	**Note** Follow Assembly Instructions of the manufacturer! **Technical Data** Effective lifting capacity 50 kN. Ready for operation with Hydraulic Pump RCS MAX 2 x 210 bar and Hydraulic Pump RCS 4-fold, 380-460V.






RCS-2 Climbing Device and Hydraulic

Item no.	Weight kg
135411	1.000


Conv. Set Climb Device-2 RCS 50
Conversion set for the modification of the Climbing Device RCS 50 in Climbing Device-2 RCS 50.




Note
Always observe the Conversion Set Instructions (see DO-19-0265205).

110069	8.500
110070	15.300

Hydraulic Twin Hose RCS
Hydraulic Twin Hose RCS, 10 m
Hydraulic Twin Hose RCS, 20 m
Two permanently connected hydraulic hoses for connecting hydraulic pumps with hydraulic climbing devices.




Complete with
2 pc. 128992 Pin ISO16028 DN10 R3/8IG
2 pc. 128993 Sleeve ISO16028 DN10 R3/8IG
4 pc. 051750 Male Stud Coupler X-GE12PSR-ED



129035	0.996
129036	1.430


Hydraulic Hoses 2SN-DN08-FF
Hydraulic Hose 2SN-DN08-FF 1.0 m
Hydraulic Hose 2SN-DN08-FF 2.0 m
For connecting hydraulic striking modules with hydraulic climbing devices.



L	X
1169	1000
2169	2000

Complete with
1 pc. 128992 Pin ISO16028 DN10 R3/8IG
1 pc. 128993 Sleeve ISO16028 DN10 R3/8IG
2 pc. 051750 Male Stud Coupler X-GE12PSR-ED

Note
Follow applicable Safety Regulations for the installation and maintenance of hydraulic lines!




Item no.	Weight kg	
		Hydraulic Hoses 2SN-DN08-FF
129419	2.690	**Hydraulic Hose 2SN-DN08-FF 5.0 m**
129420	4.900	**Hydraulic Hose 2SN-DN08-FF 10.0 m**
129421	7.120	**Hydraulic Hose 2SN-DN08-FF 15.0 m**
129422	9.330	**Hydraulic Hose 2SN-DN08-FF 20.0 m**


For connecting hydraulic pumps with hydraulic climbing devices.

L	X
5170	5000
10170	10000
15170	15000
20170	20000

Complete with
1 pc. 128992 Pin ISO16028 DN10 R3/8IG
1 pc. 128993 Sleeve ISO16028 DN10 R3/8IG
2 pc. 051750 Male Stud Coupler X-GE12PSR-ED

Note
Follow applicable Safety Regulations for the installation and maintenance of hydraulic lines!






		Hydraulic Oil in the canister
131270	17.900	**Hydraulic Oil ISO 11158 HM10, 20 l**
131274	18.300	**Hydraulic Oil ISO 11158 HVI22, 20 l**
057376	18.300	**Hydraulic Oil ISO 11158 HVI46, 20 l**

High-quality synthetic hydraulic oils for PERI Hydraulic Pumps with different viscosity suitable for certain temperature ranges.

Technical Data
Observe Safety Data Sheet and applicable National Safety Regulations regarding hydraulic oil, in particular for transport, storage and disposal! Observe the technical documentation for the hydraulic pump! Product Data Sheet on request.







		Hydraulic Oil in the drum
131273	200.000	**Hydraulic Oil ISO 11158 HM10, 210 l**
131275	200.000	**Hydraulik Oil ISO 11158 HVI22, 210 l**
131277	201.000	**Hydraulic Oil ISO 11158 HVI46, 210 l**


High-quality synthetic hydraulic oils for PERI Hydraulic Pumps with different viscosity suitable for certain temperature ranges.


Technical Data
Observe Safety Data Sheet and applicable National Safety Regulations regarding hydraulic oil, in particular for transport, storage and disposal! Observe the technical documentation for the hydraulic pump! Product Data Sheet on request.





Item no.	Weight kg		
131313	12.500	**Hydraulic Oil Filter Pump CE** Hydraulic oil filter pump for fast and clean transfer of hydraulic oil in drums with simultaneous filtration.	**Note** Follow Instructions for Use! Country-specific inquiries for Hydraulic Oil Filter Pump CUL for USA / CAN! **Technical Data** Power connection 220V/50Hz, plug CEE 7/7






Accessories

131314	1.000	**Hydraulic Oil Filter Element 5 MIC**	


131314	1.000	**Hydraulic Oil Filter Element 5 MIC** Wear part of the Hydraulic Oil Filter Pump.	**Note** Follow Instructions for Use! Observe the maintenance instructions in the technical documentation for the oil filter pump! Observe the disposal notes!






130685	0.225	**Universal Funnel** For easy filling of hydraulic pumps with oil.	







051760	0.004	**Cable Binder NT-240H**	**Note** Delivery unit = 1 pc.





Item no.	Weight kg		
125632	0.050	**Protect. Covers Climb. Device RCS** To protect unplugged quick couplings X-GE 12PSR-ED+ against dirt and damage.	**Technical Data** 1 set for 1 Climbing Device RCS 50 (2x bushing and 2x nipple each).







129424	0.440	**FF-Coupling Pair X-GE 12PSR-ED+** Spare parts set for PERI Hydraulic Components with quick couplings X-GE 12PSR-ED+.	**Complete with** 1 pc. 128992 Pin ISO16028 DN10 R3/8IG 1 pc. 128993 Sleeve ISO16028 DN10 R3/8IG 2 pc. 051750 Male Stud Coupler X-GE12PSR-ED







128992	0.140	**Pin ISO16028 DN10 R3/8IG**






128993	0.280	**Sleeve ISO16028 DN10 R3/8IG**






Item no.	Weight kg	
115581	10.280	**Hydraulic Service Case** Consisting of: 1 pc. 115590 Tool Box 580 x 260 x 285 mm 6 pc. 115583 Pressure Gauge Typ 570 VA-Geh. 6 pc. 115584 Hose MKT 6-02 DN 02 12 pc. 115582 Measuring Coupl. SMK 20-G 1/4-PC 2 pc. 115591 Double Spanner SW 10 x 13 1 pc. 115592 Double Spanner SW 13 x 17 1 pc. 115588 Double Spanner SW 19 x 24 1 pc. 051778 Double Spanner SW 24 x 27 1 pc. 115589 Double Spanner SW 27 x 32 1 pc. 057278 Allen Key Set, 8 pcs. 1 pc. 115585 Allen Key SW 12 1 pc. 057279 Allen Key SW 14 1 pc. 057282 Pipe Wrench 1 pc. 115147 Angle Fitting Set PS 2 pc. 115396 Fitting Set PS 1 pc. 072180 Ratchet Wrench 1/2" 20 pc. 123881 Tube Screw Plug ROV12SX 20 pc. 123880 Threaded Plug VKAN 12S VIT 100 pc. 051760 Cable Binder NT-240H 2 pc. 126425 Distance Piece Ø 120 1 pc. 126440 Socket SW 17 - 1/2" 1 pc. 135172 Double Spanner SW 19 x 22 1 pc. 135173 Allen Key SHR-Bit SW 05 1 pc. 135174 Allen Key SHR-Bit SW 06 1 pc. 135175 Allen Key SHR-Bit SW 08 1 pc. 135176 Allen Key SHR-Bit SW 10 1 pc. 135177 SHR Screwdriver Bit 6 Tl. Slot/PH 2 pc. 711035 Adhesive Label 128 x 65 mm 1 pc. 126434 List of contents Hydraulic Service Case




126001	0.060	**Schr ISO 4017 M12 x 60-8.8, verz.**





Item no.	Weight kg	
780702	0.006	**Washer ISO 7089 200 HV, A 12, galv.** Corresponds to old standard DIN 125 Form A





723805	0.017	**Skt Mutter ISO 4034 M 12-5**



